





# 0610739 LED TL Tube - T8 150cm G13 20W 3000lm 4000K 220°

- PET film protected glass
- 148 lm/watt
- Starter included

LED's light

Complement your LED TL luminaire with the LED TL Tube with PET film protected glass and a uniform light output.

The tube emits a neutral white light that is flicker-free and has a high luminous efficacy.

In addition, the tube has a long lifespan and a starter and giftbox are included.

# General

Brand LED's light Collection Functional

Manual language Dutch, English, French, German, Spanish

Package content Multi language manual

PLC Status Active
Warranty 2-Year

D



### Lighting

Reflector None
Total lumens 3000 lm
Useful lumens 3000 lm
Lamp efficacy 150

Light sharing Symmetric

Equivalent light output 30 W

Color temperature 4000 K

Color description Neutral white

Color rendering index 80
Adjustable beam angle No
Color consistency (McAdam Ellipse) SDCM6
Beam angle 220 °

Light distribution Direct Symmetric

Flicker-free Yes

### Electrical

Power consumption 20 W

Input voltage. 220 — 240 V

Voltage type AC
Input frequency 50/60 Hz
Power factor 0.93

Input current.  $96-96\,\mathrm{mA}$ 

Safety class

Control gear type IC constant current driver

Type of dimming Not dimmable
LED chip type SMD 2835
LED chip brand Hongli
LED chip quantity 112

### **Performance**

 IP Rating
 IP20

 Rated Life time L70/B50 at 25 C
 172000 h

 Rated Life time L70/B10 at 25 C
 171000 h

 Rated Life time L80/B50 at 25 C
 108000 h

 Rated Life time L80/B10 at 25 C
 107000 h

 Rated Life time L90/B50 at 25 C
 51000 h

 Rated Life time L90/B10 at 25 C
 50000 h



Operating Temperature  $-20-40\,^{\circ}\mathrm{C}$ 

Energy class (EU 2019/2015) D

#### Mechanical

Article length 1513 mm Article width 28 mm Article height 28 mm Article diameter 28 mm Article net weight 245 g Housing material Glass White Color housing Diffuser material Glass Diffuser finishing Opal Lamp Designation T8 Lamp socket G13 Lamp shape Tube G13 Socket

## **Logistic Data**

Packaging length 161 cm
Packaging width 3 cm
Packaging height 3 cm
Packaging gross weight 355 g

EAN Product 8720604300574

Packaging paper material weight 110 g

Master carton length 167 cm

Master carton width 21 cm

Master carton height 11 cm

CBM master carton 0.038577 m<sup>3</sup>

Master carton quantity10Master carton gross weight4.5 kgMaster carton paper material weight2044 gMaster carton plastic material weight6 gEU pallet quantity720Country of OriginCN

HS Code 8539520000

View on the website: www.shada.nl/p/0610739