



0610740 LED TL Tube - T8 120cm G13 14W 2100lm 4000K 220°

- PET film protected glass
- 150 lm/watt
- Starter included

Complement your LED TL luminaire with the LED TL Tube with PET film protected glass and a uniform light output.

The tube emits a neutral white light that is flicker-free and has a high luminous efficacy.

LED's light

In addition, the tube has a long lifespan and a starter is included.

D

General

Brand	LED's light
Collection	Functional
Manual language	Dutch, English, French, German, Spanish
Package content	Multi language manual, Starter
PLC Status	Active
Warranty	2-Year

Lighting

Total lumens	2100 lm
Useful lumens	2100 lm
Adjustable color temperature	No
Lamp efficacy	150
Equivalent light output	25 W
Color temperature	4000 K
Color description	Neutral white
Color rendering index	80
Color consistency (McAdam Ellipse)	SDCM6
Beam angle	220 °
Flicker-free	Yes

Electrical

Power consumption	14 W
Input voltage.	220 — 240 V
Voltage type	AC
Input frequency	50/60 Hz
Power factor	0.93
Input current.	67 — 67 mA
Safety class	II
Control gear type	IC constant current driver
Type of dimming	Not dimmable
LED chip type	SMD 2835
LED chip brand	Hongli
LED chip quantity	93

Performance

IP Rating	IP20
Rated life time L70/B50 at 25 C	40000 h
Operating Temperature	-20 — 40 °C
Energy class (EU 874/2012)	A+
Energy class (EU 2019/2015)	D

Mechanical

Article length	1213 mm
Article width	28 mm

Article height	28 mm
Article diameter	28 mm
Article net weight	200 g
Housing material	Glass
Color housing	White
Diffuser material	Glass
Diffuser finishing	Opal
Lamp Designation	T8
Lamp socket	G13
Lamp shape	Tube
Socket	G13

Logistic Data

Packaging length	133 cm
Packaging width	3 cm
Packaging height	3 cm
Packaging gross weight	300 g
EAN Product	8720604300567
Packaging paper material weight	100 g
Master carton length	139 cm
Master carton width	21 cm
Master carton height	11 cm
CBM master carton	0.032109 m ³
Master carton quantity	10
Master carton gross weight	3.8 kg
Master carton paper material weight	1794 g
Master carton plastic material weight	6 g
EU pallet quantity	720
Country of Origin	CN
HS Code	8539520000

View on the website: www.shada.nl/p/0610740