

SETO REMOTE LED POWER 90

- The head of the luminaire consists of 30 highly efficient LEDs that offer brilliant bright light and are ideally suited for the illumination of work places. The fully focusable three-step optics and a life time of approx. 50,000 hours make it a versatile and reliable companion.
- The **SRLP 90** features a shock-proof polymer housing and the steel parts used in the inside which guarantee high safety of the entire device in this combination.
- Through the four Quicklock extension rods, the lamp head can be elevated from 820 mm to 1800 mm. These uniquely constructed, intertwining rods provide a very easy, but strong system which is quickly extendable, and that stores its parts in a special holder on the device itself.
- Additionally, the **SETO RLP 90** offers two fold-out standing legs that make the light unit an effective tripod system and provide additional stability without needing additional accessories.
- Remote version
- Optional with integrated vehicle-adapter


Technical Data

Electrical Data	
Voltage	12 V DC
Rated current	2,7 A
Photometric Data	
Illuminant	30 x High Power LED
Luminous flux approx.	100% = 3000 lm 50% = 1500 lm 25% = 750 lm 8% = signal lighting
Colour temperature approx.	6500 °K
Life time approx.	50.000 hrs
Illuminance level Without diffusor With diffusor	1 m: 13.600 lx / 3 m: 2.000 lx 1 m: 1.670 lx / 3 m: 170 lx
General Data	
Operating time approx.	100 % - 8 hrs, 50 % - 16 hrs, 25 % - 33 hrs 8 % - 240 hrs+ signal lighting
Charging time (with 22Ah battery)	2,7 A charger: 9 h
Dimension (LxWxH) approx.	390 x 195 x 255 mm
Weight approx.	11,8 kg
IP code	IP54
Item-No.: (with remoter control)	73_100001
Item-No.: (without remote control)	73_100002

Scope of supply: SRLP 90, Charger 230 V, 4 x Quicklock rods

Features

- Remote version
- Full focusable three-stage appearance
- Integrated lens in the light head
- Robust and virtually maintenance-free
- Optional with remote control
- Turn signal | Wide beam light
- 20 to 150% light
- **2 Light modes:**
 - Hand lamp mode (mobile illumination)
 - Tripod mode (work surface lighting)



application images

Accessories

Item-No.	Description	Product foto
Item-No: 73_100004	<p>REMOTE CONTROL</p> <p>Full control over brightness, mode and battery status. The special mesh network ensures that over a hundred devices can be turned on via a single remote control. Every SRLP can transmit the signal of the remote control, so that unlimited distances can be covered.</p> <p>Attention: only für the REMOTE version.</p>	
Item-No: 73_100005	<p>OPTIONAL EMERGENCY SYSTEM</p> <p>In the case of a power outage, the optional emergency system switches on all grouped Seto RLP90.</p> <p>Attention: only for the REMOTE version.</p>	
Item-No.: 1410012181	<p>VEPAC VEHICLE CHARGING SYSTEM</p> <p>VEPAC vehicle charging system makes full charging in a vehicle possible. Therefore, the device does not have to be disconnected from the vehicle because an intelligent protection system protects the vehicle battery against deep discharge.</p> <p>Input: 12 V - 30 V DC 5A Output: 12 V 4 A</p>	
<p>Item-No.: 73_100003</p> <p>Item-No.: 73_100009</p> <p>Item-No.: 73_100010</p> <p>Item-No.: 73_100011</p>	<p>QUICKLOCK (Replacement / Scope of supply 1 rod)</p> <p>Extra tripod SRPL90 (3 m)</p> <p>Magnet holder</p> <p>Quicklock-Xtra Long</p>	