


2D Atex



| | |
|----------|---------------|
| EAN | 7638900424492 |
| Run time | Up to 65 h |
| Lumens | 150 lumens |
| Reach | Up to 175 m |

Approved by global safety agencies, the Energizer® Intrinsically Safe Atex LED torch is capable of working in the harshest conditions. Designed with industrial trades in mind, this high-performance light is certified with an IP67 waterproof rating and survives drop after drop from up to 1 meter. With the purpose of keeping the user safe, a lanyard loop make for easy access on the job, whilst the orange safety color provides instant recognition.

LED technology delivers consistent illumination of up to 150 lumens for a long duration of 65 hours to keep you active for longer.

 I M1/II 1G Ex ia op is I/II C T4 Ma/Ga

Specifications:


- Intrinsically safe (ATEX) handheld: Division I, Class I, II, and III. IECEx ia intrinsic safety
- -20°C to 40°C ambient operating range.
- Water resistance: IP67
- Ribbed casing for a secure grip
- Tested in accordance with the ANSI FL 1 standard using Energizer MAX® batteries
- 2 D batteries (Non included)

2AA Atex



| | |
|----------|---------------|
| EAN | 7638900424485 |
| Run time | Up to 12 h |
| Lumens | 150 lumens |
| Reach | Up to 175 m |

Approved by global safety agencies, the Energizer® Intrinsically Safe Atex LED torch is capable of working in the harshest conditions. Designed with industrial trades in mind, this high-performance light is certified with an IP67 waterproof rating and survives drop after drop from up to 1 meter. With the purpose of keeping the user safe, a lanyard loop make for easy access on the job, whilst the orange safety color provides instant recognition. LED technology delivers consistent illumination of up to 150 lumens for a long duration of 12 hours to keep you active for longer.

 I M1/II 1G Ex ia op is I/II C T4 Ma/Ga

Specifications:


- Intrinsically safe (ATEX) handheld: Division I, Class I, II, and III. IECEx ia intrinsic safety
- -20°C to 40°C ambient operating range.
- Water resistance: IP67
- Ribbed casing for a secure grip
- Tested in accordance with the ANSI FL 1 standard using Energizer MAX® batteries
- 2 AA batteries (Non included)

Atex headlight



| | |
|----------|---------------|
| EAN | 7638900424508 |
| Run time | Up to 6 h |
| Lumens | 130 lumens |
| Reach | Up to 45 m |

Approved by global safety agencies, the Energizer® Intrinsically Safe Atex LED Headlamp is capable of performing in the harshest conditions. Designed with industrial trades in mind, this high-performance light is certified with an IP67 waterproof rating and survives drop after drop from up to 1 meters. It is built to withstand tough conditions on the jobsite and provides a dependable hands-free lighting solution. The light pivots smoothly to direct the beam just where it is needed. The adjustable head band secures tightly to safety equipment. LED technology delivers consistent illumination of up to 130 lumens for a long duration of 6 hours to keep you active for longer.

 I M1/II 1G Ex ia op is I/II C T4 Ma/Ga

Specifications:

- ✓ Shatterproof lens
- ✓ Non slip grip
- ✓ Top strap for enhanced stability
- ✓ Built for safe use in environments with water, gas and dust (IP67)
- ✓ Features LED Technology
- ✓ Operates on 3AAA Batteries not included

NUMBER OF OPERATING MODES: 1

| Mode | Lumens (lm) | Runtime (h) | Beam Distance (m) |
|------|-------------|-------------|-------------------|
| High | 130 | 6 | 45 |
| Low | 20 | 42 | 20 |